

Prevention of Multiple Drug-resistant Bacteria in Patients with Skin Tumors: Control Management Strategies

Yuyu DENG ¹ *, Yong AI ¹, Changxia LI ¹, Yi XU ¹, Fangjie HU ², Wenying XU ² & Xiaohua TAO ¹ *

¹ *Department of Dermatology, Dermatology Hospital of Jiangxi Province, Jiangxi Provincial Clinical Research Center For Skin Diseases, Candidate Branch of National Clinical Research Center for Skin Diseases, Nanchang 330001, China*

² *Department of Dermatology, Jiujiang University Affiliated Hospital, Jiujiang 332000, China*

SUMMARY. Due to the rapid transmission of multiple drug-resistant bacteria and many transmission pathways, such as droplets, blood transmission, and contact dissemination, it has been spreading around the world and has gradually become a common pathogenic bacterium in hospital infection. Most of the multiple drugs can cause harm to patients, especially for special circumstances for patients with malignant tumors, as well as postoperative risk of infection. Therefore, how to effectively reduce the risk of multiple drug-resistant infections has now become a difficult clinical problem. Because nursing staff is the most contact with patients, it can prevent and control multiple drug-resistant infections. With the deepening of research in recent years, it is found that targeted nursing methods have a good restraint effect on multiple drug-resistant bacteria. Therefore, this study is described to analyze the application value of multiple drug-resistant bacteria infections in preventing skin malignant tumors in patients with skin malignant tumors.

RESUMEN. Debido a la rápida transmisión de múltiples bacterias resistentes a los medicamentos y muchas vías de transmisión, como gotitas, transmisión sanguínea y diseminación por contacto, se ha ido extendiendo por todo el mundo y gradualmente se ha convertido en una bacteria patógena común en las infecciones hospitalarias. La mayoría de los múltiples medicamentos pueden causar daño a los pacientes, especialmente en circunstancias especiales para pacientes con tumores malignos, así como riesgo de infección posoperatoria. Por lo tanto, cómo reducir eficazmente el riesgo de infecciones múltiples resistentes a los medicamentos se ha convertido ahora en un problema clínico difícil. Debido a que el personal de enfermería es el que tiene mayor contacto con los pacientes, puede prevenir y controlar múltiples infecciones resistentes a los medicamentos. Con la profundización de la investigación en los últimos años, se ha descubierto que los métodos de enfermería específicos tienen un buen efecto de contención sobre múltiples bacterias resistentes a los medicamentos. Por lo tanto, este estudio se describe para analizar el valor de aplicación de múltiples infecciones por bacterias resistentes a medicamentos en la prevención de tumores malignos de piel en pacientes con tumores malignos de piel.

KEY WORDS: infection, multidrug resistance bacteria, nursing intervention, research progress, skin malignant tumor.

* Author to whom correspondence should be addressed. *E-mails:* YyDeng_JX@163.com, taoxiaohua@126.com